

1 FW
Cofe

Docket No. 99-104RCE
PATENT

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Mail Stop: Decision and Certificate of Correction Branch of the Patent Issue Division, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 3-28-05.

By: Suzanne Shadley
Suzanne Shadley

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 6,864,091
Issued: March 8, 2005
Name of Patentee: Symyx Technologies, Inc.
Title of Invention: Sampling Probe

09,652,489

**ATTENTION: Decision and Certificate of Correction,
Branch of the Patent Issue Division
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**

TRANSMITTAL LETTER

Sir:

Transmitted herewith (check all that apply):

- | | |
|--|---|
| <input type="checkbox"/> Preliminary Amendment | <input type="checkbox"/> Supplemental Information Disclosure Statement |
| <input type="checkbox"/> Response/Amendment | <input type="checkbox"/> Petition Under 37 CFR 1.97(d)(2) |
| <input type="checkbox"/> Response/Amendment After Final | <input type="checkbox"/> Formal Drawings |
| <input type="checkbox"/> Supplemental Amendment | <input type="checkbox"/> Declaration Under 37 CFR 1.131 |
| <input type="checkbox"/> Affidavits/Declarations | <input type="checkbox"/> Declaration Under 37 CFR 1.132 |
| <input type="checkbox"/> Declaration and Power of Attorney | <input type="checkbox"/> Terminal Disclaimer |
| <input type="checkbox"/> Supplemental Declaration | <input type="checkbox"/> Small Entity Statement |
| <input type="checkbox"/> Associate Power of Attorney | <input type="checkbox"/> Request for Refund |
| <input type="checkbox"/> Change of Correspondence Address | <input type="checkbox"/> Appeal |
| <input type="checkbox"/> Associate Power of Attorney | <input type="checkbox"/> Petition |
| <input type="checkbox"/> Response to Missing Parts | <input checked="" type="checkbox"/> Request For Certificate of Correction |


to be filed in the above-identified patent application.

☒ No fee is required.

☒ The Commissioner is hereby authorized to charge payment of any additional filing fees required under 37 C.F.R. § 1.16, in connection with the paper(s) transmitted herewith, or credit any overpayment of same, to Deposit Account No. 50-0496.

A duplicate copy of this Transmittal Letter is transmitted herewith.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Paul A. Stone", written over a horizontal line.

Paul A. Stone
Reg. No. 38,628
Attorney for Applicant(s)

Date: Mar 25, 2005

Symyx Technologies, Inc.
3100 Central Expressway
Santa Clara, California 95051
Tel.: (408) 764-2000
Fax: (408) 773-4029



Docket No. 99-104RCE
PATENT

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Mail Stop: Decision and Certificate of Correction Branch of the Patent Issue Division, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 3-28-05.

By:


Suzanne Shadley

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 6,864,091
Issued: March 8, 2005
Name of Patentee: Symyx Technologies, Inc.
Title of Invention: Sampling Probe

**ATTENTION: Decision and Certificate of Correction,
Branch of the Patent Issue Division
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR OFFICE'S MISTAKES**

Dear Sir:

It is noted that several errors appear in this patent of a minor nature or character, as more fully described on Form PTO/SB/44 enclosed. The following errors by the U.S. Patent Office:

Col. 9, line 37, delete the comma between "resiliently" and "compliant"

Col. 9, line 54, delete "ar)" and insert --an--

Col. 11, line 10, delete "forte" and insert --forth--

Corrections thereof do not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

Attached hereto, in duplicate, is Form PTO/SB/44, with at least one copy being suitable for printing. The exact page and line numbers where the error occurs in the application file is listed on Form PTO/SB/44.


Please send the Certificate of Correction to:

Ronald A. Krasnow
Symyx Technologies, Inc.
3100 Central Expressway
Santa Clara, CA 95051

Patentee believes that no fee is required for these corrections. If a fee is required, the Commissioner is authorized to deduct such fee from Deposit Account 50-0496.

Date:

Mar. 25, 2005



Paul A. Stone
Registration No. 38,628
Symyx Technologies, Inc.
3100 Central Expressway
Santa Clara, CA 95051
408-764-2000
Customer No. 22905

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO: 6,864,091
DATED: March 8, 2005
INVENTOR(S) : Wang et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Col. 9, line 37, delete the comma between "resiliently" and "compliant"
Col. 9, line 54, delete "ar)" and insert --an--
Col. 11, line 10, delete "forte" and insert --forth--

MAILING ADDRESS OF SENDER:

Symyx Technologies, Inc.
Attn: Legal Dept.
3100 Central Expressway
Santa Clara, CA 95051

PATENT NO. 6,864,091
No. of additional copies 1